



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/732,089	12/06/2000	Daniel J. Miller	MS1-630US	3095

22801 7590 08/25/2005

LEE & HAYES PLLC  
421 W RIVERSIDE AVENUE SUITE 500  
SPOKANE, WA 99201

EXAMINER

EL CHANTI, HUSSEIN A

ART UNIT PAPER NUMBER

2157

DATE MAILED: 08/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/732,089

Applicant(s)

MILLER ET AL

Examiner

Hussein A. El-chanti

Art Unit

2157

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 22 July 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-75 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-75 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)             | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948)     | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

### DETAILED ACTION

1. This action is responsive to RCE received on July 22, 2005. Claims 1, 8, 13, 21, 28, 33, 38, 44, 57, 63, 67 and 70 were amended. Claims 1-75 are pending examination.

#### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-75 are rejected under 35 U.S.C. 102(e) as being anticipated by Abe, U.S. Patent No. 6,714,216.

Abe teaches the invention explicitly as claimed including a method for editing multimedia stream using a user interface (see abstract).

As to claim 1, Abe teaches an editing system comprising: a switch assembly comprising one or more software-implemented matrix switches, individual matrix switches comprising:

one or more input pins configured to receive a data stream (see col. 5 lines 64-col. 6 lines 32, plurality of pins configured to received multiple media streams); and

one or more output pins configured to output a data stream col. 5 lines 64-col. 6 lines 32, plurality of pins configured to output multiple media streams);

the one or more input pins being routable to the one or more output pins, the switch assembly being configured to process both compressed and uncompressed data streams to provide a compressed output data stream that represents a user-defined editing project in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 11 lines 44-col. 13 lines 64, user selects one or more media streams and edits the media streams using the browser).

As to claims 21, Abe teaches a multi-media editing system comprising:

a switch assembly comprising one or more non-hardware matrix switches, individual matrix switches comprising:

one or more input pins configured to receive a data stream (see col. 5 lines 64-col. 6 lines 32); and

one or more output pins configured to output a data stream (see col. 5 lines 64-col. 6 lines 32);

the one or more input pins being routable to the one or more output pins, the switch assembly being configured to process both compressed and uncompressed data streams to provide a compressed output data stream that represents a user-defined multi-media editing project in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 11 lines 44-col. 13 lines 64, user selects one or more media streams and edits the media streams using the browser).

As to claims 2, 22 and 52, Abe teaches the editing system of claims 1, 21 and 51 respectively, wherein the switch assembly comprises multiple switches (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 3, 23 and 53, Abe teaches the editing system of claims 2, 22 and 51 respectively, wherein one switch is configured to process compressed data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 4 and 24, Abe teaches the editing system of claims 2 and 22 respectively, wherein one switch is configured to process uncompressed data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 5, 18 and 25, Abe teaches the editing system of claims 2, 15 and 21 respectively, wherein one switch is configured to process compressed data streams, and one switch is configured to process uncompressed data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 6, Abe teaches one or more computer-readable media having computer-readable instructions thereon which, when executed by a computer, provide the editing system of claim 1 (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 7, Abe teaches the editing system of claim 1 configured as a multi-media editing system (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 8 and 19, Abe teaches an editing system comprising: a media processing object configured to: receive multiple data streams comprising compressed and uncompressed data streams; and process the one or more data streams to provide a compressed output data stream that represents a media project in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 9, Abe teaches the editing system of claim 8, wherein the media processing object comprises a software-implemented switch assembly (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 10, Abe teaches the editing system of claim 8, wherein the media processing object comprises a software-implemented switch assembly having multiple pins configured to receive or provide data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 11, Abe teaches the editing system of claim 8, wherein the media processing object comprises multiple software-implemented switches each of which having one or more pins configured to receive or provide data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 12, Abe teaches the editing system of claim 8, wherein the media project comprises a multi-media project (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 13 and 26, Abe teaches a multi-media editing system comprising:

a switch assembly comprising one or more software-implemented matrix switches, individual matrix switches comprising:

one or more input pins configured to receive a data stream; and one or more output pins configured to output a data stream;

the one or more input pins being routable to the one or more output pins, the switch assembly being configured to process both compressed and uncompressed data streams to provide a compressed output data stream that represents a user-defined multi-media editing project; and one or more data structures associated with the switch assembly and configured for use in programming the switch assembly to provide a routing scheme for routing input pins to output pins for a given multi-media editing project time line in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 14, 27, 41 and 49, Abe teaches the multi-media editing system of claims 13, 26, 41 and 44 respectively, wherein the one or more data structures comprise one or more grid structures, individual grid structures being configured to contain data that defines an association between input and output pins for the project time line (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 15, Abe teaches the multi-media editing system of claim 13, wherein the switch assembly comprises multiple switches (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 16 and 42, Abe teaches the multi-media editing system of claims 15 and 40 respectively, wherein the one or more data structures comprise a data structure associated with at least some of the multiple switches (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 17, 43 and 51, Abe teaches the multi-media editing system of claims 16, 42 and 44 respectively, wherein the data structures comprise grid structures that contain data that defines an association between input and output pins for the project time line (see col. 6 lines 58-col. 7 lines 10).

As to claim 20, Abe teaches the multi-media editing system of claim 19, wherein the data structures comprise grid structures that contain data that defines an association between each switch's input and output pins for the project time line (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 28, Abe teaches an media processing system comprising: switch means for receiving compressed and uncompressed data streams associated with sources that are to be incorporated into a project and processing the compressed and uncompressed data streams to provide a single compressed output stream that represents the project; and programming means associated with the switch means and configured to program the switch means to provide the single compressed output



stream in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 29 and 45-47, Abe teaches the multi-media editing system of claims 28 and 44 respectively, wherein the switch means comprises: first switch means for processing the uncompressed data stream to provide an output uncompressed data stream; second switch means for processing the compressed data stream to provide an output compressed data stream; and third switch means for processing the output uncompressed and compressed data streams to provide the single compressed output stream (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64)..

As to claim 30, Abe teaches the multi-media editing system of claim 28, wherein the switch means comprises means for providing a data stream as a feedback data stream that is processed by the switch means (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 31, Abe teaches the system of claim 28 wherein the switch means comprises switch means implemented in software (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 32 and 48, Abe teaches The multi-media editing system of claims 28 and 44, wherein the switch means comprises: first software switch means for processing the uncompressed data stream to provide an output uncompressed data stream; second software switch means for processing the compressed data stream to

Art Unit: 2157

provide an output compressed data stream; and third software switch means for processing the output uncompressed and compressed data streams to provide the single compressed output stream (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 33, Abe teaches a multi-media editing system comprising:

a first software-implemented matrix switch comprising one or more input pins and one or more output pins, the one or more input pins being routable to the one or more output pins, the first matrix switch being configured to process one or more uncompressed data streams and output an uncompressed data stream;

a second software-implemented matrix switch comprising one or more input pins and one or more output pins, the one or more input pins being routable to the one or more output pins, the second matrix switch being configured to process one or more compressed data streams and output a compressed data stream; and

a third software-implemented matrix switch comprising multiple input pins and multiple output pins, the input pins being routable to one or more output pins, the third matrix switch being configured to receive an uncompressed data stream from the first switch and a compressed data stream from the second switch and process the received data streams to provide a single compressed output data stream that represents a user-defined multi-media editing project in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 34, Abe teaches the multi-media editing system of claim 33 further comprising a software-implemented compressor element coupled with the third switch and configured to receive and compress an uncompressed data stream (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 35, Abe teaches the multi-media editing system of claim 34 further comprising a feedback path between the compressor element and an input pin of the third switch configured to provide a compressed data stream to the third switch's input pin (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 36, Abe teaches the multi-media editing system of claim 33, wherein the third switch is programmed to receive, when available, a data stream from the second switch and, when a data stream is unavailable from the second switch, seek a data stream from the first switch (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 37, Abe teaches one or more computer-readable having computer-readable instructions thereon which, when executed by a computer, provide the multi-media editing system of claim 33 (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 38, Abe teaches a multi-media editing system comprising:

first software switch means for processing one or more uncompressed data streams to provide an uncompressed data stream, the switch means comprising at least

Art Unit: 2157

one feedback loop that modifies a data stream that is output by the switch means and provides the modified data stream as an input to the switch means;

second software switch means for processing one or more compressed data streams to provide a compressed data stream; and

a third software switch means for receiving an uncompressed data stream from the first software switch means and a compressed data stream from the second software switch and processing the received data streams to provide a single compressed output data stream that represents a user-defined multi-media editing project in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 39, Abe teaches 39. The multi-media editing system of claim 38 further comprising programming means associated with the first and second software switch means for programming routing of data streams therethrough (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 40, Abe teaches a multi-media editing system comprising:

a first software-implemented matrix switch comprising one or more input pins and one or more output pins, the one or more input pins being routable to the one or more output pins, the first matrix switch being configured to process one or more uncompressed data streams and output an uncompressed data stream;

a second software-implemented matrix switch comprising one or more input pins and one or more output pins, the one or more input pins being routable to the one or more output pins, the second matrix switch being configured to process one or more compressed data streams and output a compressed data stream;

a third software-implemented matrix switch comprising multiple input pins and multiple output pins, the input pins being routable to one or more output pins, the third matrix switch being configured to receive an uncompressed data stream from the first switch and a compressed data stream from the second switch and process the received data streams to provide a single compressed output data stream that represents a user-defined multi-media editing project; and

one or more data structures associated with at least some of the matrix switches and configured for use in programming the associated switches to provide a routing scheme for routing input pins to output pins (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 44, Abe teaches a multi-media editing method comprising:

providing a switch assembly comprising one or more software-implemented matrix switches, individual matrix switches comprising one or more input pins and one or more output pins, the one or more input pins being routable to the one or more output pins, the switch assembly being configured to process both compressed and uncompressed data streams to provide a compressed output data stream that represents a user-defined multi-media editing project; and

programming the switch assembly using one or more data structures, said programming providing a routing scheme for routing input pins to output pins for a given time period in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 50, Abe teaches the multi-media editing method of claim 44 further comprising: representing the editing project as a hierarchical tree structure; and processing the hierarchical tree structure to provide at least one grid structure containing data that defines an association between input pins, output pins and a time line defined by the editing project (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claims 54 and 58, Abe teaches the multi-media editing method of claims 51 and 57, wherein said defining of the second grid structure comprises deriving the second grid structure from the first grid structure (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 55, Abe teaches one or more computer-readable media having computer-readable instructions thereon which, when executed by a computer, implement the method of claim 44 (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 56, Abe teaches a multi-media editing application executable on one or more computers to implement the method of claim 44 (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 57, Abe teaches one or more computer-readable media having computer-readable instructions thereon which, when executed by a computer, cause the computer to:

provide a switch assembly comprising multiple software-implemented matrix switches, individual matrix switches comprising one or more input pins and one or more output pins, the one or more input pins being routable to the one or more output pins, the switch assembly comprising: a first switch configured to process uncompressed data streams to provide an uncompressed output data stream;

a second switch configured to process compressed data streams to provide a compressed output data stream; and

a third switch configured to receive both the uncompressed and compressed output data streams and process the data streams to provide a compressed output data stream that represents a user-defined multi-media editing project; and

program the switch assembly by defining a first grid structure containing data that defines an association between the first switch's input pins, at least one output pin and a time line defined by the editing project, and defining a second grid structure containing data that defines an association between the second switch's input pins, at least one output pin and the time line defined by the editing project in which a user can construct

said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 59, Abe teaches the computer-readable media of claim 58, wherein the instructions cause the computer to derive the second grid structure by: determining whether any entries in the second grid structure are associated with a data stream source that is not in a format that is the same as or compatible with a format associated with the compressed output data stream that represents a user-defined multi-media editing project; and removing any entry that is not in the same or compatible format (see col. 7 lines 27-40 and col. 8 lines 36-55)

As to claim 60, Abe teaches the computer-readable media of claim 59, wherein said format is associated with a frame rate (see col. 7 lines 27-40 and col. 8 lines 36-55).

As to claim 61, Abe teaches the computer-readable media of claim 59, wherein said format is associated with a data rate (see col. 7 lines 27-40 and col. 8 lines 36-55).

As to claim 62, Abe teaches the computer-readable media of claim 58, wherein the instructions cause the computer to derive the second grid structure by: copying the first grid structure; evaluating the copied grid structure to ascertain entries associated with data source streams that are modified in some way; and removing any grid entries associated with data source streams that are modified in some way (see col. 7 lines 27-40 and col. 8 lines 36-55).



As to claim 63, Abe teaches a multi-media editing method comprising:

providing a first software-implemented matrix switch comprising one or more input pins and one or more output pins, the one or more input pins being routable to the one or more output pins, the first matrix switch being configured to process one or more uncompressed data streams and output an uncompressed data stream;

providing a second software-implemented matrix switch comprising one or more input pins and one or more output pins, the one or more input pins being routable to the one or more output pins, the second matrix switch being configured to process one or more compressed data streams and output a compressed data stream;

providing a third software-implemented matrix switch comprising multiple input pins and multiple output pins, the input pins being routable to one or more output pins; receiving, with the third matrix switch, an uncompressed data stream from the first switch and a compressed data stream from the second switch; and processing the received data streams with the third switch to provide a single compressed output data stream that represents a user-defined multi-media editing project in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 64, Abe teaches the multi-media editing method of claim 63, wherein said processing comprises: compressing the uncompressed data stream received from the first switch using a software-implemented compressor element coupled with the

third switch; and routing the compressed data stream that was compressed by the compressor element to an input pin of the third switch (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 65, Abe teaches the multi-media editing method of claim 63 further comprising receiving with the third switch, when available, a data stream from the second switch and, when a data stream is unavailable from the second switch, seeking with the third switch, a data stream from the first switch (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 66, Abe teaches one or more computer-readable media having computer-readable instructions thereon which, when executed by a computer, implement the method of claim 63 (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 67, Abe teaches one or more computer-readable media having computer-readable instructions thereon which, when executed by a computer, cause the computer to:

process at least one compressed data stream to provide an output compressed data stream that comprises a portion of a user-defined multi-media editing project that is associated with a data stream source;

process one or more uncompressed data streams to manipulate the one or more uncompressed data streams to provide an output uncompressed data stream that

Art Unit: 2157

comprises a different portion of a user-defined multi-media editing project that is associated with one or more data stream sources;

compress the output uncompressed data stream; and

associate the output compressed data stream and the compressed output uncompressed data stream together to provide a compressed stream that represents a user-defined multi-media editing project in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 68, Abe teaches the computer-readable media of claim 67, wherein the instructions cause the computer to provide a software-implemented matrix switch that associates the data streams to provide the user-defined multi-media editing project (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 69, Abe teaches the computer-readable media of claim 67, wherein the instructions cause the computer to provide a software-implemented matrix switch that associates the data streams to provide the user-defined multi-media editing project, the software-implemented matrix switch being configured to receive the output compressed data stream when it is available, and seek the output uncompressed data stream when the output compressed data stream is unavailable (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 70, Abe teaches one or more computer-readable media having computer-readable instructions thereon which, when executed by a computer, cause the computer to:

receive and process one or more uncompressed data streams with a first software-implemented matrix switch comprising one or more input pins and one or more output pins, the one or more input pins being routable to the one or more output pins to output an uncompressed data stream;

receive and process one or more compressed data streams with a second software-implemented matrix switch comprising one or more input pins and one or more output pins, the one or more input pins being routable to the one or more output pins to output a compressed data stream;

receive and process the uncompressed data stream that is output by the first switch and the compressed data stream that is output by the second switch with a third software-implemented matrix switch comprising multiple input pins individual ones of which receive data streams, and one or more output pins individual ones of which provide data streams, the one or more input pins being routable to the one or more output pins to output, at one output pin, a compressed data stream that represents a user-defined multi-media editing project in which a user can construct said editing project by operating one or more sources of multimedia content that provide said data streams (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 71 the computer-readable media of claim 70, wherein the instructions cause the computer to: compress the uncompressed data stream output by the first switch using the third switch; and incorporate the compressed uncompressed data stream with the compressed data stream that is output by the second switch to provide the compressed data stream that represents the user-defined editing project (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 72, the computer-readable media of claim 70, wherein the instructions cause the computer to program the first and second switches using first and second data structures respectively associated with the first and second switches, each data structure providing a routing scheme for routing switch input pins to switch output pins (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 73, the computer-readable media of claim 72, wherein the first and second data structures comprise grid structures that provide an association between input pins, output pins and a time line defined by a user-defined multi-media editing project (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 74, the computer-readable media of claim 73, wherein the instructions cause the computer to derive the second grid structure from the first grid structure (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).

As to claim 75, the computer-readable media of claim 74, wherein the instructions cause the computer to derive the second grid structure by: copying the first grid structure; evaluating the copied grid structure to ascertain entries associated with

Art Unit: 2157

data source streams that are modified in some way; and removing any grid entries associated with data source streams that are modified in some way (see col. 5 lines 64-col. 6 lines 32 and col. 11 lines 44-col. 13 lines 64).


3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hussein A. El-chanti whose telephone number is (571)272-3999. The examiner can normally be reached on Mon-Fri 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571)272-4001. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hussein El-chanti

August 10, 2005

  
ABDULLAH SALA  
Primary Examiner